


# IRON & ALUMINUM CONDUIT BENDERS WITH PATENTED ANGLE SETTERS™

Angle Setter™ technology increases conduit bending accuracy while reducing bending time



PROUDLY MADE IN USA  
With Global Components

**KLEIN**  
**TOOLS**



1.800.561.8187

www.**itm**.com

information@itm.com



# KLEIN CONDUIT BENDERS ARE MAKING THE JOB A LITTLE EASIER FOR YOU

Klein Tools' conduit benders with patent pending Angle Setter™ technology allows for quick, accurate repeated bends, including common bend types such as offsets and saddles. The wide foot pedal provides excellent stability and features angled grooves for extra traction. With easily visible bold cast-in benchmark symbols, degree scales and multiplier scales help save time on the job.

**Interior hook surface and conduit track** prevents conduit from rolling or twisting during bends

**Assembled Conduit Benders include Klein's unique Angle Setter™ technology** for quick, accurate repeated bends saving time on the job (patent pending)

**Includes markings for 10 degrees, 22.5 degrees, 30 degrees, 45 degrees, and 60 degrees**

**Wide foot pedal** provides excellent stability, leverage, and comfort

**Bold cast markings and symbols**


make for fast, easy conduit alignment to make all bend types, including saddle and back-to-back bends



**IRON BENDERS**  
(CAT. NOS. 51603, 51604, 51605)  
Heavy duty cast ductile iron has the durability needed on



**ALUMINUM BENDERS**  
(CAT. NOS. 51606, 51607)  
have an easy handling head reinforced for







## ANGLE SETTER™\*

Klein's unique Angle Setter™ (CAT. NOS. 51611, 51612, 51613) creates a hard stop for quick, accurate, and consistent floor or air bends



Alignment Notches




- 1 Conduit Stop Track
- 2 Angle Alignment Grooves
- 3 Alignment Tabs
- 4 Lanyard Hole



\*For use with EMT Conduit

Use markings for desired bend angle (10°, 22.5°, 30°, 45°)



- 1 Align the Angle Setter™ alignment groove with end of bender head angle line (30° shown).



- 2 Using your palm, press Angle Setter™ firmly into place, until it is flush with the sides of the bender channel - ensure alignment tabs are fully seated into alignment notches.



- 3 Insert conduit into bender head and prepare to bend as usual.



- 4 Bend conduit until contact with the Angle Setter™ is felt. Will work for floor and air bends.

Caution: Bending past Angle Setter™ can result in kinks in conduit





Cat. No.	UPC 0-92644+	Product	Dimensions		Weight
Assembled Conduit Benders					
51603	51603--0	Iron Conduit Bender w/ Angle Setter™, 1/2" EMT	Handle: 1.2" x 38.0" (3.0 x 96.5 cm)	Head: 1.7" x 8.1" x 5.2" (4.4 x 20.5 x 13.1 cm)	5.6 lb. (2.5 kg)
51604	51604-7	Iron Conduit Bender w/ Angle Setter™, 3/4" EMT	Handle: 1.2" x 38.0" (3.0 x 96.5 cm)	Head: 1.9" x 9.8" x 6.2" (4.8 x 24.8 x 15.6 cm)	6.8 lb. (3.1 kg)
51605	51605-4	Iron Conduit Bender w/ Angle Setter™, 1" EMT	Handle: 1.3" x 44.0" (3.4 x 111.8 cm)	Head: 2.5" x 12.9" x 8.2" (6.4 x 32.9 x 20.7 cm)	11.8 lb. (5.6 kg)
51606	51606-1	Aluminum Conduit Bender, w/ Angle Setter™ 1/2" EMT	Handle: 1.2" x 38.0" (3.0 x 96.5 cm)	Head: 1.7" x 8.1" x 5.2" (4.4 x 20.4 x 13.1 cm)	4.3 lb. (2.0 kg)
51607	51607-8	Aluminum Conduit Bender, w/ Angle Setter™ 3/4" EMT	Handle: 1.2" x 38.0" (3.0 x 96.5 cm)	Head: 1.9" x 9.8" x 6.2" (4.8 x 24.8 x 15.6 cm)	4.9 lb. (2.2 kg)
Conduit Bender Heads					
51608	51608-5	Iron Conduit Bender Head, 1/2" EMT	1.7" x 8.1" x 5.2" (4.4 x 20.5 x 13.1 cm)		2.2 lb. (1.0 kg)
51609	51609-2	Iron Conduit Bender Head, 3/4" EMT	1.9" x 9.8" x 6.2" (4.8 x 24.8 x 15.6 cm)		3.4 lb. (1.5 kg)
51610	51610-8	Iron Conduit Bender Head, 1" EMT	2.5" x 12.9" x 8.2" (6.4 x 32.9 x 20.7 cm)		5.7 lb. (2.6 kg)
Replacement Angle Setters™					
51611	51611-5	1/2" Angle Setter™ (2 pack)	1.8" x 0.8" x 0.9" (4.6 x 2.0 x 2.2 cm)		0.2 oz. (5.9 g)
51612	51612-2	3/4" Angle Setter™ (2 pack)	2.4" x 1.0" x 1.0" (6.1 x 2.6 x 2.6 cm)		0.4 oz. (10.0 g)
51613	51613-9	1" Angle Setter™ (2 pack)	2.9" x 1.3" x 1.1" (7.3 x 3.3 x 2.8 cm)		0.6 oz. (16.8 g)

For Professionals  
SINCE 1857™



**PROUDLY MADE IN USA**  
With Global Components



1.800.561.8187

www.itm.com

information@itm.com